




BODY

(EN) Comfort shoulder straps for children.
 (FR) Bretelles de confort pour enfant.



⚠ WARNING


Activities involving the use of this equipment are inherently dangerous.
 You are responsible for your own actions and decisions.

- Before using this equipment, you must:
 - Read and understand all Instructions for Use.
 - Get specific training in its proper use.
 - Become acquainted with its capabilities and limitations.
 - Understand and accept the risks involved.


FAILURE TO HEED ANY OF THESE WARNINGS MAY RESULT IN SEVERE INJURY OR DEATH.

PRICE

1. Field of application



2. Nomenclature




3. Inspection, points to verify



4. Compatibility (text part)

Traceability and markings

Traçabilité et marquage



c. Traceability: datamatrix = product reference + individual number

e. Individual number

00 000 AA 0000

f. Year of manufacture

g. Day of manufacture

b. Control or name of inspector

i. Incrementation

k. Carefully read the instructions for use

l. Model identification



PETZL.COM



Latest version



Other languages



Product Experience



PPE checking



PETZL
F-38920 Crozets
PETZL.COM
ISO 9001
© Petzl
Made in Malaysia



Sustaining our Community
Au service de la Communauté
FONDATION-PETZL.ORG




5. Shoulder straps: donning and tying-in



Do a "PARTNER CHECK"
Effectuer un "PARTNER CHECK"


Belayeur
Assureur

Climber
Grimpeur



6. Installing a belay system (text part)
Mise en place du système d'assurage (partie texte)

Sizes
Tailles



7. Additional information
Informations complémentaires

A. Lifetime / Durée de vie

Serial n°
 XXX XXX XXXX + 10 years
ans

B. Markings
Marquage



C. Acceptable T°
T° tolérées

+ 80°C / + 176°F
- 40°C / - 40°F

D. Precautions for use / Précautions d'usage



E. Cleaning - Disinfection / Nettoyage - désinfection



F. Drying / Séchage

+ 30°C maxi.
+ 86°F maxi.



G. Storage - Transport
Stockage - transport

+ 30°C / + 86°F
+ 10°C / + 50°F



H. Modifications - Repairs
Modifications - Réparations



I. FAQ - Contact
Questions - Contact



