

Petzl Custom allows you to customize a complete ASAP KIT fall-arrest system. Depending on your needs and applications, choose from the ASAP or ASAP LOCK fall arresters, as well as the ASAP'SORBER 20, 40 or AXESS energy absorbers. Choice of color and length are offered for the AXIS 11 mm rope, from 5 to 200 meters. You can also choose the type of anchor: open loop sling or anchor strap. The kit is delivered in a BUCKET rope bag that corresponds to the selected rope length for a ready-to-go solution.

CUSTOMIZATION REQUEST

ASAP KIT CUSTOM

PETZL®

Access the inaccessible®

ASAP KIT CUSTOM

AXIS 11 mm rope colour



White



Yellow

Sewn termination (mandatory)



Weight (with or without)



Kit ASAP / ASAP LOCK



ASAP KIT 20



ASAP KIT 40



ASAP KIT AXESS



ASAPLOCK KIT 20



ASAP LOCK KIT 40



ASAP LOCK KIT AXESS

Anchor



ANNEAU 150



CONNEXION FIXE 150



WIRE STROP 150

Anchor point connector



OK TRAICT-LOCK



OXAN TRIACT-LOCK

Bag



BUCKET 15



BUCKET 30



BUCKET 45



TRANSPORT 60

Request a Quote

Company name:

Dealer : Yes ◯ No ◯

Client name:

Client sector: Telecommunications ☐ Energy and Networks ☐

Construction ☐ Chemical/Petrochemical ☐ Other ☐

Contact name:

Adress: Postal code:

City: Tel::

email: Date:

Please fill out a form for each desired configuration.

ASAP KIT CUSTOM			
AXIS 11 mm rope colour	01	White	☐
	02	Yellow	☐
Rope length		Length in meters: between 5 and 200 meters (measured under tension at 10 kg)	
Sewn termination (mandatory)		Two swen termination	x
Weight	01	Without weight	☐
	02	With weight	☐
ASAP KIT	01	ASAP KIT 20 (ASAP + ASAP'SORBER 20 + OK TL x2)	☐
	02	ASAP KIT 40 (ASAP + ASAP'SORBER 40 + OK TL x2)	☐
	03	ASAP KIT AXESS (ASAP + ASAP'SORBER AXESS + OK TL x2)	☐
	04	ASAP LOCK KIT 20 (ASAP LOCK + ASAP'SORBER 20 + OK TL)	☐
	05	ASAP LOCK KIT 40 (ASAP LOCK + ASAP'SORBER 40 + OK TL)	☐
	06	ASAP LOCK KIT AXESS (ASAP LOCK + ASAP'SORBER AXESS + OK TL)	☐

ASAP KIT CUSTOM

Type of anchor	01	Without	☐
	02	ANNEAU 150	☐
	03	CONNEXION FIXE 150	☐
	04	WIRE STROP 150	☐
Anchor point connector	01	Without	☐
	02	OK TRAICT-LOCK	☐
	03	OXAN TRIACT-LOCK	☐
Bag	01	Without	☐
	02	BUCKET 15 (5 to 45 meters)	☐
	03	BUCKET 30 (46 to 110 meters)	☐
	04	BUCKET 45 (111 to 185 meters)	☐
	05	TRANSPORT 60 (186 and 200 meters)	☐

QUANTITY _____