



© 2023 - Petzl Distribution - Gilar Lafouche



© 2023 - Petzl Distribution - Gilar Lafouche



© 2023 - Petzl Distribution - Gilar Lafouche

Petzl Custom can customize lanyard color, offers different lengths to allow adjustability based on user height, and provides the option of single or double lanyards. Customers can also choose from different terminations and harness connection types. Additionally, connectors and TRAC trolleys can be pre-installed for a ready-to-use solution.



## CUSTOMIZATION REQUEST


JOKO CUSTOM  
JOKO ADJUST CUSTOM



Access  
the  
inaccessible®

## JOKO CUSTOM

Lanyard for adventure parks



## JOKO ADJUST CUSTOM

Adjustable lanyard for adventure parks

### Version

Single



Double



### Color

 Orange

 Black

### Termination

Sewn termination



Girth hitch



ADJUST rope adjuster  
(only JOKO ADJUST CUSTOM)



Choice of plastic sheath color (except for the red plastic sheath on the sewn terminations that have the ADJUST rope adjuster)

 Gray

 Green

### Harness Connection

Small loop



Girth hitch




ADJUST rope adjuster  
(only JOKO ADJUST CUSTOM)



### Length

25 to 200 cm (in 5 cm increments)

30 cm minimum with a girth hitch and  
35 cm minimum with two girth hitches



### Connector

For a ready-to-use solution, trolleys and connectors can be pre-installed.

#### Termination



TRAC GUIDE



TRAC CLUB

#### Harness Connection



Am'D PIN-LOCK  
+ CAPTIV



RING OPEN



SWIVEL OPEN

# Request a Quote

Company name:

Contact name:

Date:

Customer:  Yes  No

Address:

Postal code:

City:

Country:

Tel:

Email:

**To order this product, contact your sales representative.**

Please fill out a form for each desired configuration.


QUANTITY

(minimum order of 5 lanyards): \_\_\_\_\_

REQUESTED DELIVERY DATE: \_\_\_\_\_

## L036XY JOKO CUSTOM / L037XY JOKO ADJUST CUSTOM

<b>Version</b>		Single	<input type="checkbox"/>
		Double	<input type="checkbox"/>
<b>Color</b>		Orange	<input type="checkbox"/>
		Black	<input type="checkbox"/>
<b>Termination - Arm 1</b>	 	Gray sewn termination	<input type="checkbox"/>
	 	Green sewn termination	<input type="checkbox"/>
	 	Gray girth hitch	<input type="checkbox"/>
	 	Green girth hitch	<input type="checkbox"/>
		ADJUST rope adjuster	<input type="checkbox"/>
<b>Termination - Arm 2</b> <small>Only applicable to double lanyards</small>	 	Gray sewn termination	<input type="checkbox"/>
	 	Green sewn termination	<input type="checkbox"/>
	 	Gray girth hitch	<input type="checkbox"/>
	 	Green girth hitch	<input type="checkbox"/>
		ADJUST rope adjuster	<input type="checkbox"/>

<b>Harness Connection</b>		Small loop	<input type="checkbox"/>
		Girth hitch	<input type="checkbox"/>
		ADJUST rope adjuster	<input type="checkbox"/>
<b>Length from 25 to 200 cm</b> 30 cm minimum with girth hitch 35 cm minimum with two girth hitches	Arm 1		_____
	Arm 2 Only applicable to double lanyards		_____
<b>Termination Connector - Arm 1</b> Installed on a sewn termination or ADJUST rope adjuster only (only TRAC GUIDE)	-	Without connector	<input type="checkbox"/>
		TRAC GUIDE Installed with CAPTIV ADJUST if ADJUST rope adjuster is used	<input type="checkbox"/>
		TRAC CLUB	<input type="checkbox"/>
<b>Termination Connector - Arm 2</b> Only applicable to double lanyards and can only be installed on a sewn termination or ADJUST rope adjuster (only TRAC GUIDE)	-	Without connector	<input type="checkbox"/>
		TRAC GUIDE Installed with CAPTIV ADJUST if ADJUST rope adjuster is used	<input type="checkbox"/>
		TRAC CLUB	<input type="checkbox"/>
<b>Harness Connector</b> Installed on a sewn termination or ADJUST rope adjuster only	-	Without connector	<input type="checkbox"/>
		Am'D PIN-LOCK Installed with a CAPTIV on a small loop or a CAPTIV ADJUST on an ADJUST rope adjuster	<input type="checkbox"/>
		RING OPEN	<input type="checkbox"/>
		SWIVEL OPEN Only on a small loop	<input type="checkbox"/>